



989 Direct Injector Cleaner MF98900300A

Print date: 09.10.2017

Product code: 11AMF98900300A

Page 2 of 11

Pictograms:



Hazard statements

- H226 Flammable liquid and vapour.
- H302+H332 Harmful if swallowed or if inhaled.
- H304 May be fatal if swallowed and enters airways.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P260 Do not breathe vapour.
- P280 Wear eye/face protection.
- P273 Avoid release to the environment.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P302+P352 IF ON SKIN: Wash with plenty of Water and soap..
- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P314 Get medical advice/attention if you feel unwell.

Special labelling of certain mixtures

- EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	EC No	Index No	REACH No	Quantity
		Classification according to Regulation (EC) No. 1272/2008 [CLP]			
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates				25 - < 50 %
		919-857-5		01-2119463258-33	
		Flam. Liq. 3, STOT SE 3, Asp. Tox. 1; H226 H336 H304 EUH066			
27247-96-7	2-Ethylhexyl nitrate				25 - < 50 %
		248-363-6		01-2119539586-27	
		Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Aquatic Chronic 2; H302 H312 H332 H411 EUH044 EUH066			
104-76-7	2-Ethylhexan-1-ol				5 - < 10 %
		203-234-3		01-2119487289-20	
		Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H332 H315 H319 H335			
64742-94-5	Kerosine - unspecified, Solvent naphtha (petroleum), heavy arom.				1 - < 3 %
		265-198-5		01-2119463588-24	
		STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H336 H304 H411 EUH066			

Full text of H and EUH statements: see section 16.



989 Direct Injector Cleaner MF98900300A

Print date: 09.10.2017

Product code: 11AMF98900300A

Page 3 of 11

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO₂). Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO₂, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.



989 Direct Injector Cleaner MF98900300A

Print date: 09.10.2017

Product code: 11AMF98900300A

Page 4 of 11

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Advice on storage compatibility

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

In use, may form flammable/explosive vapour-air mixture.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

a no restriction

b End of exposure or shift

c in long-term exposure: after several shifts

d prior to next shift

STEL (EC) : Short Term Exposure Limit

TWA (EC): time-weighted average

U: Urea

B: Blood

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.



989 Direct Injector Cleaner MF98900300A

Print date: 09.10.2017

Product code: 11AMF98900300A

Page 5 of 11

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Wear eye protection/face protection.

Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time (maximum wearing time) 480min
Thickness of the glove material 0,45 mm
DIN EN 374

Skin protection

Wear suitable protective clothing.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.
When exceeding the relevant workplace exposure limits, note the following:
Suitable respiratory protective equipment: Combination filter device (DIN EN 141)..
Filtering device with filter or ventilator filtering device of type: A
Observe the wear time limits as specified by the manufacturer.
Observe legal regulations and provisions.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	brown
Odour:	solvent like

Test method

pH-Value (at 20 °C): No information available.

Changes in the physical state

Melting point: not determined

Initial boiling point and boiling range: > 165 °C

Flash point: 47 °C ISO 3679

Flammability

Solid: not applicable

Gas: not applicable

Lower explosion limits: 0,6 vol. %

Upper explosion limits: 7 vol. %

Auto-ignition temperature

Solid: not applicable

Gas: not applicable

Decomposition temperature: not determined



989 Direct Injector Cleaner MF98900300A

Print date: 09.10.2017

Product code: 11AMF98900300A

Page 6 of 11

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): 0,8444 g/cm³ DIN 51757

Water solubility: The study does not need to be conducted
because the substance is known to be
insoluble in water

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / dynamic: No information available. DIN 53019-1

Viscosity / kinematic:
(at 40 °C) < 7 mm²/s DIN EN ISO 3104

Flow time: No information available.

Vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Concentrated vapours are heavier than air. Vapours may form explosive mixtures with air.

10.4. Conditions to avoid

Danger of explosion. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO₂, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Harmful if swallowed or if inhaled.



989 Direct Injector Cleaner MF98900300A

Print date: 09.10.2017

Product code: 11AMF98900300A

Page 7 of 11

ATEmix calculated

ATE (oral) 1923,1 mg/kg; ATE (inhalative aerosol) 4,644 mg/l

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates			
	oral	LD50 > 5000 mg/kg	Rat	
	dermal	LD50 > 5000 mg/kg	Rabbit	
	inhalative (4 h) vapour	LC50 4951 mg/l	Rat	
27247-96-7	2-Ethylhexyl nitrate			
	oral	LD50 >9640 mg/kg	Rat	
	dermal	LD50 >4820 mg/kg	Rabbit	
	inhalative (4 h) vapour	LC50 11 mg/l	Rat	
	inhalative aerosol	ATE 1,5 mg/l		
104-76-7	2-Ethylhexan-1-ol			
	oral	LD50 2047 mg/kg	Rat	
	dermal	LD50 > 3000 mg/kg	Rat	
	inhalative (4 h) vapour	LC50 11 mg/l	Rat	
	inhalative aerosol	ATE 1,5 mg/l		
64742-94-5	Kerosine - unspecified, Solvent naphtha (petroleum), heavy arom.			
	oral	LD50 >2000 mg/kg	Rat	
	dermal	LD50 >2000 mg/kg	Rabbit	
	inhalative (4 h) aerosol	LC50 > 5 mg/l	Rat	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C9 - C 11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates)

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard

May be fatal if swallowed and enters airways. (Hydrocarbons, C9 - C 11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates; Kerosine - unspecified, Solvent naphtha (petroleum), heavy arom.)

Specific effects in experiment on an animal

No information available.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!



989 Direct Injector Cleaner MF98900300A

Print date: 09.10.2017

Product code: 11AMF98900300A

Page 8 of 11

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d]	Species	Source
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates				
	Acute fish toxicity	LC50 > 100 mg/l	96 h	Pimephales promelas	
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna	
27247-96-7	2-Ethylhexyl nitrate				
	Acute fish toxicity	LC50 2 mg/l	96 h	Brachydanio rerio (zebra-fish)	
	Acute algae toxicity	ErC50 >1 - <10 mg/l	72 h	Algae toxicity	
	Acute crustacea toxicity	EC50 <10 mg/l	48 h	Daphnia magna	
104-76-7	2-Ethylhexan-1-ol				
	Acute fish toxicity	LC50 17,1 mg/l	96 h	Leuciscus idus (golden orfe)	
	Acute algae toxicity	ErC50 11,5 mg/l	72 h	Scenedesmus subspicatus	
	Acute crustacea toxicity	EC50 39 mg/l	48 h	Daphnia magna	
64742-94-5	Kerosine - unspecified, Solvent naphtha (petroleum), heavy arom.				
	Acute fish toxicity	LC50 >1 mg/l	96 h	Pimephales promelas (fathead minnow)	
	Acute algae toxicity	ErC50 >1 mg/l	96 h	Scenedesmus subspicatus	
	Acute crustacea toxicity	EC50 1,4 mg/l	48 h	Daphnia magna	

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates	5
27247-96-7	2-Ethylhexyl nitrate	3,74 - 5,24
104-76-7	2-Ethylhexan-1-ol	2,9

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations



989 Direct Injector Cleaner MF98900300A

Print date: 09.10.2017

Product code: 11AMF98900300A

Page 9 of 11

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and mother liquors; hazardous waste

Waste disposal number of used product

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and mother liquors; hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3295
14.2. UN proper shipping name: HYDROCARBONS, LIQUID, N.O.S.
14.3. Transport hazard class(es): 3
14.4. Packing group: III
Hazard label: 3
Classification code: F1
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number: UN 3295
14.2. UN proper shipping name: HYDROCARBONS, LIQUID, N.O.S.
14.3. Transport hazard class(es): 3
14.4. Packing group: III
Hazard label: 3
Classification code: F1
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number: UN 3295
14.2. UN proper shipping name: HYDROCARBONS, LIQUID, N.O.S. (2-Ethylhexyl nitrate)
14.3. Transport hazard class(es): 3
14.4. Packing group: III



989 Direct Injector Cleaner MF98900300A

Print date: 09.10.2017

Product code: 11AMF98900300A

Page 10 of 11

Hazard label: 3
Marine pollutant: yes
Special Provisions: 223
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3295
14.2. UN proper shipping name: HYDROCARBONS, LIQUID, N.O.S.
14.3. Transport hazard class(es): 3
14.4. Packing group: III
Hazard label: 3
Special Provisions: A3 A324
Limited quantity Passenger: 10 L
Passenger LQ: Y344
Excepted quantity: E1
IATA-packing instructions - Passenger: 355
IATA-max. quantity - Passenger: 60 L
IATA-packing instructions - Cargo: 366
IATA-max. quantity - Cargo: 220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes
Danger releasing substance: 2-Ethylhexyl nitrate

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): No information available.
2004/42/EC (VOC): EU/CH 84,76/49,24

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)
Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]:
Calculation method.

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information



989 Direct Injector Cleaner MF98900300A

Print date: 09.10.2017

Product code: 11AMF98900300A

Page 11 of 11

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H302+H332	Harmful if swallowed or if inhaled.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
EUH044	Risk of explosion if heated under confinement.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)